



安特检测
ANTE TESTING

正本



5. 结论
6. 附录
7. 参考文献
8. 附录
9. 附录
10. 附录
11. 附录
12. 附录
13. 附录
14. 附录
15. 附录
16. 附录
17. 附录
18. 附录
19. 附录
20. 附录
21. 附录
22. 附录
23. 附录
24. 附录
25. 附录
26. 附录
27. 附录
28. 附录
29. 附录
30. 附录
31. 附录
32. 附录
33. 附录
34. 附录
35. 附录
36. 附录
37. 附录
38. 附录
39. 附录
40. 附录
41. 附录
42. 附录
43. 附录
44. 附录
45. 附录
46. 附录
47. 附录
48. 附录
49. 附录
50. 附录
51. 附录
52. 附录
53. 附录
54. 附录
55. 附录
56. 附录
57. 附录
58. 附录
59. 附录
60. 附录
61. 附录
62. 附录
63. 附录
64. 附录
65. 附录
66. 附录
67. 附录
68. 附录
69. 附录
70. 附录
71. 附录
72. 附录
73. 附录
74. 附录
75. 附录
76. 附录
77. 附录
78. 附录
79. 附录
80. 附录
81. 附录
82. 附录
83. 附录
84. 附录
85. 附录
86. 附录
87. 附录
88. 附录
89. 附录
90. 附录
91. 附录
92. 附录
93. 附录
94. 附录
95. 附录
96. 附录
97. 附录
98. 附录
99. 附录
100. 附录

检测报告

委托单位

山东XX

山东安特检测有限公司

检验检测专用章

32328505709-3



检测报告

02





检测报告

H20240901006-13~15

采样日期

2024.09.10

检测日期

2024.09.11

检测报告

委托单位	检测项目	检测标准	检测日期
采样日期	2024.09.04	检测方法	2024.09.04-2024.09.04

主理检测员: 王发

烟气采样器(流量测试仪) Z20206234 紫外可见分光光度计 (190803000)

检测数据表

排放速率	kg/h	8.00×10 ⁻⁵	7.90×10 ⁻⁵	8.00×10 ⁻⁵	8.00×10 ⁻⁵	/
实测浓度	mg/m ³	6.90	6.70	6.25	6.61	/
排放速率	kg/h	0.01	0.01	0.01	0.01	/

检测报告说明

当检测结果低于检出限时, 报告显示为“未检出”
本页以下空白



目录

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

检测报告

样品类型	有组织废气	样品编号	H20240901006-22~24
采样日期	2024.09.11	检测日期	2024.09.13



报告编号: RH20240901006


检测报告

检测指标	检测结果					平均值	备注
	H20240901006-28	H20240901006-29	H20240901006-30				
	含氧量, %	5.6	5.9	5.5	/		
烟温, °C	52.7	52.9	52.4	/	/		
流速, m/s	1.1	1.1	1.1	1.1			



检测报告

样品类型	有组织废气	样品编号	H20240901006-31~33
采样日期	2024.09.18	检测日期	2024.09.18





报告编号: RK20240901006



散速率，

kg/h

0.01

0.01

0.01

0.01

拾捌

Figure 1 is a schematic representation of the experimental design. It shows a sequence of events: 'Stimulus presentation', 'Response', 'Feedback', and 'Inter-trial interval'. The sequence is repeated for multiple trials, with a 'Start' box at the beginning and an 'End' box at the end.

III

(1)

(2)

...

(3)

... 水泥胶砂测试仪 (2004065154) 分析天平 (170906125)



报告编号: RH20240901006

检测报告

样品类型	有组织废气	样品编号	H20240901006-25~27
------	-------	------	--------------------

排气筒高度 m	25	排气筒直径 m	1.2
样品描述	气袋×3		
主要检测设备	烟气烟尘颗粒物浓度测试仪(22049615)、声呐气袋采样器(220506243)、气相色谱仪(150801045)		

检测指标	检测结果	备注
------	------	----

PM ₁₀ (mg/m ³)	0.3	
PM _{2.5} (mg/m ³)	0.1	
SO ₂ (mg/m ³)	1.2	
NO ₂ (mg/m ³)	0.8	
CO (mg/m ³)	1.5	
H ₂ (mg/m ³)	0.05	
CH ₄ (mg/m ³)	0.02	
非甲烷总烃 (mg/m ³)	0.01	





检测报告

样品名称	污水	样品编号	H20240901005-01~03
采样日期	2024.09.14	检测日期	2024.09.15~2024.09.16
样品描述	硬质玻璃瓶、聚乙烯桶 (瓶)采样, 无色, 无味, 清澈液体	样品数量	500mL×12, 1000mL×3, 200mL×3
主要检测设备	便携式 pH 计(10706210)、紫外可见分光光度计(150802055)、硫化物酸化吹脱系统(180000516)		

报告编号: RH20240901006

报告日期: 2024.09.16





报告结束



20

